



PRICE CHANGE NOTICE

We reluctantly announce
our first price change.


Effective January 15, 1948,
all catalogue list prices are
increased 10%.

Mr. Builder!

Coffman ORNAMENTAL IRON

FOR
TODAY'S
HOMES

- POSTS
- PANELS
- GRILLES
- RAILINGS
- BRACKETS
- MAILBOXES
- SILHOUETTES



SILHOUETTE HOUSE SIGNS

Hand-Wrought by *Coffman's Master-Craftsmen*



NO. 1 . . . \$3.50



NO. 3 . . . \$3.00




NO. 7 . . . \$3.00



NO. 11 . . . \$3.25



NO. 15 . . . \$3.25



NO. 19 . . . \$4.00



NO. 23 . . . \$4.25

Will add a lifetime note
of distinction and identity
to your home



NO. 2 . . . \$3.00



NO. 4 . . . \$3.00



NO. 5 . . . \$3.00



NO. 6 . . . \$4.25



NO. 8 . . . \$3.00



NO. 9 . . . \$3.00



NO. 10 . . . \$3.25



NO. 12 . . . \$3.00



NO. 13 . . . \$3.00



NO. 16 . . . \$3.50



NO. 17 . . . \$3.50




NO. 18 . . . \$3.50



NO. 20 . . . \$3.75



NO. 21 . . . \$3.75



NO. 22 . . . \$4.25



NO. 24 . . . \$4.25

These artistic and life-like silhouettes are hand-cut from heavy sheet aluminum, TO LAST A LIFE TIME. Holes drilled, ready for attachment to the house, post, or spot of your choice. Finished with a dull black lacquer.

LETTERS AND NUMERALS are of cast aluminum, holes drilled and ready for installation, black lacquer finish. Price of LETTERS, list 20c each or \$5.20 per alphabet. NUMERALS, list 20c each or \$2.40 per dozen. Letters are shown with number 2, 11 and 24 silhouette above. SIZE of silhouettes approx. 10" high, 12" wide. Letters, 2" high. Numerals, 3" high.

All prices list F.O.B. Orlando, Fla.

SILHOUETTE SIGN BRACKETS

for Home or Business



at
DOORWAY
YARD
GATE POST
OR ANY

SPOT OF YOUR CHOICE



NO. 6 . . . \$9.25
Shown without stake, ready for
attachment to building or post
with screws.

NO. 11 . . . \$8.25
Shown with 3 1/2' Wrought Iron
Standard, an attractive yard or
estate marker.

Your choice of 21 Designs

HOW TO ORDER:—Silhouette Sign Brackets are numbered same as Silhouette House Signs shown to the left. Designs 13, 19 and 21 cannot be made as brackets. WROUGHT IRON STANDARD 3 1/2' long furnished with each Silhouette Sign Bracket. SIZE of plate for painting name or what not 4" x 16". FINISH—black only. PRICES—same as Silhouette House Signs plus \$5.00.


All prices list, F.O.B. Orlando, Fla.

SILHOUETTE CHIMNEY ORNAMENTS

Your Chimney—Symbol of Home and Happiness—give it an
Expression of Your Own Individuality!



NO. 3 . . . \$12.50
Flying Ducks - Hand
Embossed - Life Size



NO. 2 . . . \$18.50
Sea Horse - 30" High



NO. 1 . . . \$13.50
Conventional - 30" h.

It's New - Chimney Letters

THE FIRST LETTER OF YOUR NAME
IN ORNAMENTAL STYLE—16" HIGH

• • • • \$7.50 EACH-LIST
PER LETTER

ALL CHIMNEY ORNAMENTS are hand-cut from heavy aluminum, RUST PROOF in black finish. Bolts and Expansion Shields for installation are included. PRICES—List, F.O.B. Orlando, Fla.

Today's OUTSTANDING MAIL BOX Design

Utility combined with distinction and beauty, which every woman wants at her doorway. Note the large lid and magazine clips. We overheard the unsolicited remarks of a mailman: "The finest mailbox I have ever seen. With one hand I can lift the lid and drop in the letters and with the other hand insert the magazines."

FINISH—white or black
SIZE—9 1/4" x 11 1/2"

PACKED—1 mailbox to carton

List Price \$7.50 each
F.O.B. Orlando, Fla.



No. M-1

For RURAL MAIL BOX mounted on attractive wrought iron standard—see reverse side

HAND-WROUGHT ORNAMENTAL IRON

SCREEN DOOR GRILLES

*Add
Distinctive*

- And that elegant look to any doorway to set that home apart.
- Protects the screen and strengthens door.
- Ten original patterns for any type architectural design.
- The best in hand-wrought craftsmanship at lower prices.



Design No. 6 List \$18.00
Shipping wt. 18 lbs.

This universally popular grille is used here to create a distinctive note to the entrance way to an attractive living porch.




Look for the forge drawn tips at the inner ends of the scrolls, the "mark" of genuine hand wrought ornamental iron.


SCREEN DOOR GRILLES

*Add
Distinctive*

- And that elegant look to any doorway to set that home apart.
- Protects the screen and strengthens door.
- Ten original patterns for any type architectural design.
- The best in hand-wrought craftsmanship at lower prices.



No. 10 \$22.20
Ship. wt. 22 lbs.



No. 3 \$24.00
Ship. wt. 20 lbs.



No. 9 \$18.80
Ship. wt. 18 lbs.

HAND-WROUGHT from $\frac{1}{4} \times \frac{1}{2}$ inch iron to last a lifetime. The figures are hand embossed. The grille adds strength to the door and protects the screen against that elbow bulge.

FINISHED with a gleaming white enamel paint over a protective primer coat.

EASILY INSTALLED. The grille fits neatly into the wood panel screen opening of the door. It is drilled at the proper points for easy attachment by anyone with the screws shipped with the grille. The grille may be mounted in front of or behind the screen. The beautiful effect created by the grille is best obtained where the grille is in front of the screen, which it tends to hide. With a new door hang with the screen to the inside. Where the door is already in place with the screen to the outside lift the moulding holding the screen and retack both on the inside—thus the grille can be mounted in front of the screen.


WHEN ORDERING — check outside dimensions of your door and dimensions of your inside screen opening with STOCK SIZE GRILLE TABLES below. Note separate table for SINGLE PANEL DOOR and TWO PANEL DOOR.

All Prices List — F. O. B. Orlando, Fla.

The NO. 10 SCREEN DOOR GRILLE and the STOOP RAILINGS add that extra note of distinction to the entrance of this small home.



No. 19 \$21.50
Ship. wt. 22 lbs.



No. 21 \$17.50
Ship. wt. 18 lbs.



No. 18 \$15.00
Ship. wt. 18 lbs.



No. 7 \$29.40
Ship. wt. 24 lbs.




No. 17 \$18.60
Ship. wt. 25 lbs.



No. 27B \$21.50
Ship. wt. 20 lbs.

SPECIAL SIZE GRILLES MADE TO YOUR ORDER—If you should have an odd size door which our stock size will not fit, you can order any style grille made-up to your dimensions. Increase the regular list by \$5.00. Shipment will be made from factory within approximately 10 days.



EASY TO INSTALL

Hang screen door with screen to inside -
Fasten GRILLE with screws to wood door frame.

Outside Dimensions of Door

2' 8" x 6' 8"	24 $\frac{3}{4}$ " x 65"
3' 0" x 6' 8"	28 $\frac{3}{4}$ " x 65"
3' 0" x 7' 0"	28 $\frac{3}{4}$ " x 69"

Stock Grille Sizes for SINGLE PANEL DOORS

2' 8" x 6' 8"	24 $\frac{3}{4}$ " x 32.
Lower Panel	24 $\frac{3}{4}$ " x 21.
3' 0" x 6' 8"	Upper Panel 28 $\frac{3}{4}$ " x 32.
Lower Panel	28 $\frac{3}{4}$ " x 21.
3' 0" x 7' 0"	Upper Panel 28 $\frac{3}{4}$ " x 32.
	Lower Panel 28 $\frac{3}{4}$ " x 21.

Stock Grille Size for TWO PANEL DOORS

2' 8" x 6' 8"	Upper Panel 24 $\frac{3}{4}$ " x 32.
Lower Panel	24 $\frac{3}{4}$ " x 21.
3' 0" x 6' 8"	Upper Panel 28 $\frac{3}{4}$ " x 32.
Lower Panel	28 $\frac{3}{4}$ " x 21.
3' 0" x 7' 0"	Upper Panel 28 $\frac{3}{4}$ " x 32.
	Lower Panel 28 $\frac{3}{4}$ " x 21.

BELOW—TWO OUTSTANDING VALUES and distinctive designs, hand-forged from 3/16 x 1/2 wrought iron with flat silhouette figures.




No. G-3 \$12.50
Ship. Wt. 12 lbs.



No. G-13 \$12.50
Ship. Wt. 12 lbs.


PORCH and BALCONY POSTS of HAND-WROUGHT IRON

With standard sizes for fast modern building you can plan in advance and know your costs. Don't waste valuable time, use Coffman stock size posts and save. Lower costs for the best ornamental iron craftsmanship.




NO. 114

NO. 112



Everything Furnished
Easy and Ready to Install



NO. 113

NO. 105

Note Coffman's Exclusive LOOSE-FOOT ANCHOR-PLATE construction. It saves you installation time and enables you to lower stock heights up to 1".

SPECIFICATIONS: Corner bars are $\frac{3}{8}$ " square stock. Design is hand-wrought from $\frac{1}{4}$ " x $\frac{1}{2}$ " iron. (Except No. 100—see at right). POSTS are furnished in primer finish only. Shipped wired in bundles. Lag screws and expansion shields are furnished.

TO ORDER: Specify FLAT or CORNER POST and HEIGHT. No. 100 and 114 are shown as a corner posts.

STOCK HEIGHTS: 7'-0", 7'-6" and 8'-0"

SPECIAL HEIGHTS: See Table below.

SHIPPING WEIGHTS:

Approx. FLAT 50 lbs., CORNER 75 lbs. (Except No. 100—see at right.)

3 Popular Stock Heights for Fast Modern Building and Economy

List Prices of Wrought Iron Porch Posts

F. O. B. ORLANDO, FLORIDA

STOCK HEIGHTS	No. 100 Width 8"	No. 105 Width 9"	No. 112 Width 9"	No. 113 Width 9"	No. 114 Width 9"
7'-0"	18.50 29.50	20.00 36.00	26.50 48.00	20.00 36.00	26.50 48.00
7'-6"	19.85 31.60	21.45 38.60	28.40 51.45	21.45 38.60	28.40 51.45
8'-0"	21.15 33.70	22.85 41.15	30.25 54.85	22.85 41.15	30.25 54.85

Special Heights

Heights over 7'-0" and under 7'-6" add \$5.00 to 7'-0" List Price
Heights over 7'-6" and under 8'-0" add \$5.00 to 7'-6" List Price
Heights over 8'-0" (not recommended) add \$5.00 to 8'-0" List Price

Ornamental iron posts offer the builder many possibilities as a stock building item. They add the charm and distinction which only ornamental iron can do—to any home. Use them for remodeling and on new homes as the post support for canopies, in place of wood posts along a breeze way, as the decorative motif for a recessed or framed-in porch, or on the second story balconies of Colonial style architecture. Posts and railings can be combined, for instance, post 112 and railing with ornament design 133 or post 113 and railing ornament 131. For more attractive homes use ornamental iron!



ABOVE the same doorway of a 1947 low cost home. Note how the contractor improvised by cutting the corner bar of No. 105 POST to clear the door light and how 23B CANOPY BRACKET and standard STOOP RAIL ties to the post. SILHOUETTE is Design No. 11.



No. 100

AT LEFT—

Coffman's graceful designed No. 100 PORCH POST. Note the forge drawn tips at the inner ends of the scrolls. ONLY Coffman's streamlined production methods can give you ORNAMENTAL IRON—hand-forged in traditional manner of fine craftsmanship—at this low cost.

CORNER BARS
 $\frac{3}{4}$ " square stock.
SCROLLS hand-wrought from $\frac{1}{4}$ " x $\frac{1}{2}$ " iron.

**S H I P P I N G
WEIGHTS:** Approx.
FLAT 35 lbs.
CORNER 56 lbs.




— BEAUTY WITHOUT BOUNTY —

A TYPICAL APPLICATION of No. 105 Flat and Corner posts combined with No. 23B canopy brackets. Note also the No. 3 screen door grille.


STOOP, PORCH and BALCONY RAILINGS of HAND-WROUGHT IRON

Custom Railing ... TO YOUR DIMENSIONS

CUSTOM RAILINGS are made to your dimensions for Stoop, Porch, Terrace or Balcony and offer a wide range of ornamental construction uses. You can order railings with plain pickets or with any RAIL ORNAMENT DESIGN shown. The RAIL ORNAMENT DESIGNS match the PORCH POSTS. Beautiful second story balcony effects are created on Colonial Style homes by combining railings with PORCH POSTS (note how POST 114 and RAILING with ORNAMENT DESIGN 131 match).




Typical Short Stoop Rail showing NEWELL POST finished with BALL plus additional RAIL ORNAMENT NO. 130.




Typical Combination STRAIGHT and SLANT RAIL for porches, terraces etc. showing NEWELL POST finished with LAMB'S TONGUE and SOLID BRASS URN plus add. RAIL ORNAMENT No. 133.

Use RAILINGS in combination with POSTS for first story porches and terraces, large or small.

Long railings and those in combination with POSTS are manufactured in short sections, with flush joints, dowel pinned and bolted (always factory assembled and knocked down for shipment, dowel pins and bolts furnished). Figure your cost for any special job by adding railing cost, plus rail ornament design cost (if wanted), plus post cost.



Typical Longer Stoop Rail showing NEWELL POST finished with LAMB'S TONGUE plus additional RAIL ORNAMENT NO. 132.



Typical Combination STRAIGHT and SLANT RAIL showing INSIDE SCROLL finish at NEWELL POST plus additional RAIL ORNAMENT NO. 131. Brass Urn cannot be used with Inside Scroll.

PRICES

Straight Rail	\$ 7.00 Per Ft.
Slant Rail (Measured on the slant)	11.00 per ft.
Rail Ornament No. 130	7.00 ea.
Rail Ornament No. 131	3.00 ea.
Rail Ornament No. 132	5.00 ea.
Rail Ornament No. 133	8.50 ea.
Solid Brass Urn	5.00 ea.
Prices are F.O.B. Factory, Orlando, Fla.	
Shipping Wts.: Approx. 10 1/2 lbs. per lin. ft.	

ENTRANCE or STOOP RAILS 5 STOCK SIZES



A distinctive low cost Entrance Rail in 5 POPULAR SIZES to fit small home stoop platforms. Rugged, solid construction throughout. "Hand-wrought Inside Scroll" finish at newell post. Conventional attachment knee on top and bottom rail for easy installation. Extended newell post as illustrated — Railings are more than investment in safety. The added architectural beauty exceeds the railing cost many times.

No. LC 2'-2"	\$13.80 per pr.—Ship. wt. 48 lbs. p. pr.
No. LC 2'-8"	\$15.60 per pr.—Ship. wt. 50 lbs. p. pr.
No. LC 3'-2"	\$16.50 per pr.—Ship. wt. 60 lbs. p. pr.
No. LC 3'-8"	\$17.40 per pr.—Ship. wt. 65 lbs. p. pr.
No. LC 4'-2"	\$18.30 per pr.—Ship. wt. 75 lbs. p. pr.

PRICES: F.O.B. Factory, Orlando, Florida

FINISH: Heavy protective primer coat only.

SPECIFICATIONS: $1/8$ " sq. Newell post — $3/8$ "x $1\frac{1}{4}$ " Hand Rail — $3/4$ " sq. Bottom Rail — $1/2$ " sq. Picket — $3/8$ " sq. design.




How to Order Custom Railing!

FOLLOW
Simple

Instructions Below

• TO ORDER CUSTOM RAILINGS:



WHEN
ORDERING
RAILINGS

Submit sketch showing the following ACCURATE DIMENSIONS:
STRAIGHT RAIL - Dimensions C
SLANT RAIL - Dimensions A B R T and Number of steps.

Prompt Blue Print Service: on custom railing jobs for porches, terraces and sun decks; and where you have combinations of RAILINGS and PORCH POSTS, such as stoops, balconies, breezeways, etc. Furnish us a rough sketch of the job and preliminary dimensions as requested above under "How to order Custom Railings."

Send dimensions which apply (see diagram to left), and a rough sketch;

Specify NEWELL POST; with extended leg as shown, or plate and expansion shield;

Specify NEWELL POST finish BALL, BRASS URN, LAMB'S TONGUE or INSIDE SCROLL;

Specify RAIL ORNAMENT design or without.

7 1/4"

UNFRAMED

WROUGHT IRON PANELS

Unframed Wrought Iron Panels will give the builder as well as the home owner many inexpensive possibilities to add beauty and extra dollars sales value. They are furnished for use on Screen Porches, Balconies, Breezeways etc. as the decorative motif between wood columns and in prefabricated screen frames. Holes are drilled at proper points for easy attachments by any one with screws furnished.

TYPICAL CONSTRUCTION DETAILS

showing screen porch application will be furnished on request.
SPECIFICATIONS: Design is hand-wrought from $\frac{1}{4}$ " x $\frac{1}{2}$ " iron
Primer finish.

STOCK HEIGHTS and SPECIAL HEIGHTS see table below.

SHIPPING WEIGHTS: Approx. 15 lbs. packed in carton.

TO ORDER: Specify height and number of design.

Five Designs to choose from

Designs No. 100, 105 and 113 are same as shown in Posts above.

No. 112
UnframedList Prices of
UNFRAMED WROUGHT IRON PANELS

F. O. B. ORLANDO, FLA.

STOCK HEIGHTS	No. 100 Width 6 1/2"	No. 105 Width 7 1/4"	No. 112 Width 7 1/4"	No. 113 Width 7 1/4"	No. 114 Width 7 1/4"
6'-9"	13.90	15.00	19.90	15.00	19.90
7'-3"	14.90	16.10	21.30	16.10	21.30
7'-9"	15.90	17.20	22.70	17.20	22.70

Special Heights

Heights over 6'-9" and under 7'-3" add \$5.00 to 6'-9" List Price
Heights over 7'-3" and under 7'-9" add \$5.00 to 7'-3" List Price
Heights over 7'-9" add \$5.00 to 7'-9" List Price

A RURAL MAILBOX



Mounted On
Attractive
Hand Wrought
Iron Standard

Beauty and utility combined for town or country homes. STURDY hand-wrought iron standard — 66" high — with hand-forged scrolls and rugged construction. FINISH — black or white. Shpg. wt. 50 lbs.

BOX AND STANDARD
\$27.50 Each List

F.O.B. Orlando, Fla.

See Reverse Side for

"Today's OUTSTANDING MAIL BOX Design"




Note the great architectural beauty added to the front of this small home using a NO. 113 CORNER POST.

7 1/4"

No. 114
Unframed

7 1/4"




No. 219

No. 218


No. 220



No. 319



No. 318



No. 320

Two attractive balcony effects in New Orleans style—Cast panels combined with hand wrought diamond pattern railing.

TO ORDER BALCONIES—send accurate dimensions of upper beam or soffit and accurate heights for panels.

RAILINGS are of $1\frac{1}{4}$ " oval handrail, $\frac{5}{8}$ " sq. vert. balusters and $\frac{3}{8}$ " sq. diamond pattern panels.

RAILING NO. 220 per lin. foot \$15.00

RAILING NO. 320 per lin. foot \$17.50

POSTS NO. 218 are of double face cast aluminum with 1" sq. iron corner bars, or 1" sq. heavy walled tubing according to availability.

STOCK SIZE—7'-6" high—9 1/4" wide.

POSTS NO. 218 FLAT \$34.00
Shipping Weight 71 lbs.POSTS NO. 218 CORNER \$63.00
Shipping Weight 116 lbs.


POSTS NO. 318 are of double face cast iron with 1" sq. iron corner bars or 1" sq. heavy walled tubing according to availability.

STOCK SIZE—8'-0" high—10 1/4" wide.

POST NO. 318 FLAT \$75.00
Shipping Weight 100 lbs.POSTS NO. 318 CORNER \$135.00
Shipping Weight 175 lbs.

SPECIAL HEIGHTS ON POSTS may be ordered—add \$5.00 to regular list price.

BRACKET NO. 219 \$6.00
BRACKET NO. 319 \$8.50
Shipping Weight 3 lbs. each
Size of Brackets 11" x 20"



Beautiful effects are created by using POSTS and BRACKETS on entrance stoop and porch

CANOPY BRACKETS of HAND-WROUGHT IRON

Hand-wrought iron canopy brackets combine the beauty of ornamental iron with utility. The brackets below were designed to cover a wide range of residential and commercial purposes—from the small number 23B to the big strong No. 101.

A stock item which every builder will find many uses for. Don't spend a lot of valuable time having something made special, just select the proper bracket in advance. Get it at your building supply dealer. They are inexpensive because they are quickly available and do not require expensive labor cost for installation.



This large canopy was quickly and attractively braced with our heavy duty commercial-residential CANOPY BRACKET NO. 101.

FINISH: Primer only.

SHIPPED: Uncrated, wired in bundles, with necessary expansion shields and screws for mounting. Brackets are drilled ready for mounting.

PRICES: Are F. O. B. Factory, add freight or express for total price.


No. 115 Bracket made of $\frac{3}{8} \times 1\frac{1}{4}$ Flat Iron

No. 116 Bracket made of $\frac{3}{8} \times 1\frac{1}{4}$ Flat Iron


No. 23B Bracket made of $\frac{1}{4} \times \frac{3}{4}$ Flat Iron

No. 101 Bracket made of $\frac{1}{2} \times 1\frac{1}{2}$ Flat Iron

No. 102 Bracket made of $\frac{3}{8} \times 1\frac{1}{2}$ Flat Iron



No. 116 . . . \$8.50 ea.
Shipping wt. 10 lbs.




No. 115 . . . \$10.00 ea.
Shipping wt. 13 lbs.



No. 101 . . . \$22.50 ea.
Shipping wt. 27 lbs.

For more Attractive Homes use *Coffman's Ornamental Iron*




No. 23B . . . \$5.00 ea.
Shipping wt. 5 lbs.

CANOPY BRACKETS can be used in many ways to create attractive effects. The illustration of 23B BRACKET at left is shown used with PORCH POST No. 105.




The entrance way to this small home is inexpensively framed with ornamental iron. The short overhang of the roof uses No. 116 light residential CANOPY BRACKET and No. 6 GRILLE is used in the screen door.



No. 102 . . . \$14.00 ea.
Shipping wt. 18 lbs.

A FOUNDATION ACCESS DOOR of Enduring Strength



Ready to install, builds into any Masonry—sturdy ALL STEEL CONSTRUCTION—Heavy Perforated Metal Grille Door—Saves Time, Labor and Money—Complies with F.H.A. Requirements.

Grey Primer Finished

\$7.50 Each List
F.O.B. Orlando, Fla.

Shipping Weight 16 lbs.

To All Builders... of Attractive Homes

ORNAMENTAL IRON has been used down through the centuries as a building item. In this folder you will find the R. G. Coffman line of ornamental iron designed for you, low in cost and available when and where you want it. This catalogue will enable you to plan in advance, to know your costs and save. You can't afford to miss using a little ornamental iron on any low cost home—if only a screen door grille—because it will add so much in distinction and owner pride.

Many builders in small communities have found ornamental iron difficult if not impossible to obtain. No matter where you build—small village or city—you can use Coffman ornamental iron because, like any other building material, it is sold by your local building supply dealer. Don't waste valuable time searching. See your dealer and have ornamental iron.

STANDARD AND STOCK sizes are just as practical as in any other building material. In this catalogue you will find stock sizes which best meet the requirements of most modern building. With standard sizes you can plan your work in advance and avoid costly rework and special fits. Stock sizes lower costs to you, and save you money.

There isn't any mystery to ornamental iron and its installation. You will find every item in this folder has been designed for fast installation with a minimum of effort by any mechanic. Better yet, any necessary attachments are always furnished—such as lag screws and expansion shields.

QUALITY in hand-wrought iron is expressed in the pleasing designs which come from the forge of the master craftsmen. It is recognized in the beautiful patterns, in the smooth lines of the graceful scrolls. Always look for the forge drawn tips at the inner ends of the scrolls, the "mark" of genuine hand-wrought iron. Remember Coffman's Ye Olde Forge never compromises with quality.



The R. G. Coffman Co. Inc.

Established 1925

ORLANDO, FLORIDA

DISTRIBUTED BY

To All Builders... of Attractive Homes

ORNAMENTAL IRON has been used down through the centuries as a building item. In this folder you will find the R. G. Coffman line of ornamental iron designed for you, low in cost and available when and where

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY
www.apti.org

For the
BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE
SPECIAL COLLECTIONS
HOWARD-TILTON MEMORIAL LIBRARY

<http://seaa.tulane.edu>



vv

Established 1925

ORLANDO, FLORIDA

DISTRIBUTED BY